

STEEL			1000x2000 / coil 1000 wide					1250x2500 / coil 1250 wide				1500x3000 / coil 1500 wide			
DC04/DD11/S235JR			Format and thickness in mm					Format and thickness in mm				Format and thickness in mm			
Mesh	Bridge	Ao (%)	0.5	1	1.5	2	3	1	1.5	2	3	1	1.5	2	3
6 x 3	1	34	L												
10 x 4.5	1.5	33		L											
10 x 5	1.5	35		L											
16 x 8	1.6	60		L											
20 x 7	1.5	60			L				L				L		
22 x 12	2	67			L										
28 x 9	2	56			L										
28 x 10	2.5	60		L				L							
28 x 10	3	40				L				L					
28 x 14	2.5	64				L				L				L	
42 x 12	2	67			L				L						
42 x 13	2.5	61			L										
43 x 13	2.5	65				L									
43 x 17	2.5	75				L				L				L	
50 x 18	3	67				L									
62 x 23	3	74				L				L				L	
62 x 23	7	39					L								
76 x 31	3	81					L				L				L
90 x 30	3	82						1000			1250				1500
110 x 40	3	85						1000			1250			1500, 2000, 2500	
110 x 40	4.5	78						1000			1250			1500, 2000, 2500	
110 x 40	6	73						1000			1250			1500, 2000, 2500	
200 x 80	6.6	84						1000			1250			1500, 2000, 2500	



ALUMINIUM			1000 x 2000					1250 x 2500				1500 x 3000			
Al99,5hh/EN AW1050A			Format and thickness in mm					Format and thickness in mm				Format and thickness in mm			
Mesh	Bridge	Ao (%)	0.5	1	1.5	2	3	1	1.5	2	3	1	1.5	2	3
6 x 3	0.8	47	L												
10 x 5	1.5	40	0.8	L											
16 x 6.5	1	69		L											
16 x 8	1.5	62		L											
20 x 7	2	47				L				L					
22 x 12	2.5	58		L											
28 x 10	2	60			L				L						
42 x 13	2.5	61			L				L						

L = 24/48 hours supplier service all over Austria
 L = Supply within 5 - 7 working days
 Subject to change


>> STAINLESS STEEL next page

STAINLESS STEEL			1000x2000 / coil 1000 wide					1250x2500 / coil 1250 wide				1500x3000 / coil 1500 wide			
1.4301/X5CrNi18-10			Format and thickness in mm					Format and thickness in mm				Format and thickness in mm			
Mesh	Bridge	Ao (%)	0.5	1	1.5	2	3	1	1.5	2	3	1	1.5	2	3
3.5 x 1.9	0.5	57	1000												
4 x 2.2	0.5	54	0.6												
10 x 4.5	1	55	L												
16 x 6.5	1	69		L											
16 x 8	1.5	62		L											
20 x 7	1.5	60							L						
28 x 10	2	62			L										
42 x 12	3	50				L									
42 x 13	2.5	61			L										
42 x 18.6	3	69				L									
62 x 23	3	64				L									


L = 24/48 hours supplier service all over Austria
 L = Supply within 5 - 7 working days
 Subject to change




Round - diameter 3



Round - diameter 3





Round - diameter 3



Round - diameter 3

SENDZIMIR GALVANISED			1000 x 2000					1250 x 2500				1500 x 3000			
DX54D			Format and thickness in mm					Format and thickness in mm				Format and thickness in mm			
Mesh	Bridge	Ao(%)	0.5	1	1.5	2	3	1	1.5	2	3	1	1.5	2	3
Round diameter 5	1.3	61		L				L							upon request

L = 24/48 hours supplier service all over Austria
L = Supply within 5 - 7 working days
Subject to change




Square 3




Square 5




Square 7



Square 10



Square 16



Square 22

STEEL			1000 x 2000					1250 x 2500				1500 x 3000			
DC04/DD11/S235JR			Format and thickness in mm					Format and thickness in mm				Format and thickness in mm			
Mesh	Bridge	Ao (%)	0.5	1	1.5	2	3	1	1.5	2	3	1	1.5	2	3
Square 3	0.8	62	0.8												
Square 4	1	70		L											
Square 5	1.5	60		L											
Square 6	1.5	66			L										
Square 10	1.5	86			L										
Square 17	2	80				L									
Square 22	3	77				L									
Square 28	4	76				2.5	L							2.5	
Square 33	4.5	80					L								
Square 38	5	82					L								
Square 38	6	78					4								
Square 40	5	82					L								
Square 40	6	79					4								
Square 50	6	83					4								4

Insect- bird screen

STAINLESS STEEL			1000 x 2000 mm/coil 1000 wide				1250 x 2500 mm/coil 1250 wide				1500 x 3000 mm/coil 1500 wide			
1.4301/X5CrNi18-10			Format and thickness in mm				Format and thickness in mm				Format and thickness in mm			
Mesh	Bridge	Ao (%)	Coils				1	1.5	2	3	1	1.5	2	3
Square 1.5 (Q3)	0.3	68	0.4 x 1000 x 10 m											
Square 16 (Q30)	1.5	86	1.5 x 1000 x 25 m											

L = 24/48 hours supplier service all over Austria
 L = Supply within 5 - 7 working days
 Subject to change

Stair treads

STEEL hot-dip galvanised	Feldkirch	43 x 10	Feldkirch	43 x 10	Feldkirch	Super-Feldkirch
Point load (kg)	400	200	200	200	200	200
Format (LxB) mm	h=73/s=3 mm	h=72/s=2 mm	h=72/s=2 mm	h=73/s=3 mm	h=40/s=2.5 mm	h=40/s=3 mm
500 x 200		L	L			
500 x 250					L	
600 x 200		L	L			
600 x 250					L	
700 x 200		L	L			
700 x 250					L	L
800 x 250	L	L	L		L	L
900 x 250		L			L	
1000 x 250	L	L	L		L	L
1200 x 300	L			L		

Panels

STEEL hot-dip galvanised	Feldkirch	43 x 10	Feldkirch	43 x 10	Feldkirch	Super-Feldkirch
Point load (kg)	400	200	and all models available with individual load value!			
Format (LxW) mm	h=73/s=3 mm	h=72/s=2 mm	h=72/s=2 mm	h=73/s=3 mm	h=40/s=2.5 mm	h=40/s=3 mm
800 x 800		L				
800 x 1000	L		upon request			
1000 x 1000	L	L				
1200 x 1000	L					
1200 x 1200	L			L		

ATTENTION: All models are possible in individual sizes and with appropriate load values!

Expanded metal sheets for individual self-assembly of expanded metal gratings - delivery 5 - 7 working days

STEEL	Formats			
Mesh				
Feldkirchen	1000 x 2000 x 7.5 x 4			
Feldkirch	1000 x 2000 x 5 x 3	1250 x 2500 x 5 x 3	1500 x 3000 x 5 x 3	2000 x 1000 x 5 x 3

L = Supply within 5 - 7 working days
Subject to change

Advantages of the ProMetall expanded metal gratings:

- slip-resistant
- safe for use with high heels
- suitable for emergency stairs
- effective as flame portal
- allows smoke to pass through and reduces panic
- snow and earth falls through
- water drains immediately is ensured
- ventilation is ensured
- individual production of formats and load values
- production of quantities ranging from small to industrial production of bulk quantities possible
- visually striking design